



**PN. 308891 COMET F2B SET OF OXYGEN & FUEL FOR BLOWPIPE**

Contains one of each F2B Oxygen and F2B Fuel flashback arrestors for use on Blowpipe Mount.

- Non-return valve.
- Large cylindrical stainless steel flame arrestor.
- Medium flow capacity
- Complies to AS4603.
- Conforms to EN730/DIN 8521, UL, ISO 5175 class I (fittings to AS4267-1995).
- Tested by BAM.



**COMET F2B FLASHBACK ARRESTOR, OXYGEN**

**COMET F2B FLASHBACK ARRESTOR, FUEL**

Designed for connection to the inlet of blowpipes in medium flow applications.

SKU: 308854

SKU:308853

FBA Model	F2B
Gas Type	Oxygen
Connections	5/8"-18 UNF RH
Connection to	Blowpipe Inlet
Pressure rating	1,000 kPa
Max Airflow	1,250 l/min

FBA Model	F2B
Gas Type	Fuel
Connections	5/8"-18 UNF LH
Connection to	Blowpipe Inlet
Pressure rating	500 kPa (150 kPa Acet)
Max Airflow	693 l/min (220 l/min Acet)



**PN. 308890 COMET F2R, SET OF OXYEN & FUEL FOR REGULATOR**

Contains one of each F2R Oxygen and F2R Fuel flashback arrestors



COMET F2R FLASHBACK ARRESTOR, FUEL

COMET F2R FLASHBACK ARRESTOR, OXYGEN

Designed for connection to the outlet of regulators and pipelines in medium flow applications.

SKU:308735

SKU:308734

FBA Model	F2R
Gas Type	Fuel
Connections	5/8"-18 UNF LH
Connection to	regulator outlet
Pressure rating	500 kPa (150 kPa acet)

FBA Model	F2R
Gas Type	Oxygen
Connections	5/8"-18 UNF RH
Connection to	Regulator Outlet
Pressure rating	1000 kPa
Max Airflow	1133 l/min



**COMET F6 FLASHBACK ARRESTOR, OXYGEN**

**COMET F6 FLASHBACK ARRESTOR, FUEL**

Designed for connection to the inlet of blowpipes in medium flow applications.

SKU:308777

SKU:308778

FBA Model	F6
Gas Type	Oxygen
Connections	5/8"-18 UNF RH
Connection to	Blowpipe Inlet
Pressure rating	2,000 kPa
Max Airflow	1,000 l/min

FBA Model	F6
Gas Type	Fuel
Connections	5/8"-18 UNF LH
Connection to	Blowpipe Inlet
Pressure rating	500 kPa (150 kPa Acet)
Max Airflow	463l/min (148 l/min Acet)



**COMET F1 SUPER FLASHBACK ARRESTOR, FUEL      COMET F1 SUPER FLASHBACK ARRESTOR, OXYGEN**

Designed for connection to the outlet of regulators incorporating a pressure actuated cut-off valve to prevent further gas flow after a flashback occurs.

SKU:308800

SKU:308799

SKU:308799

FBA Model	F1 Super
Gas Type	Fuel
Connection:	5/8"-18 UNF LH
Connection to	Regulator Outlet
Pressure rating	500 kPa (150 kPa Acet)
Max Airflow	557 l/min (170 l/min Acet)

FBA Model	F1 Super
Gas Type	Oxygen
Connection:	5/8"-18 UNF RH
Connection to	Regulator Outlet
Pressure rating	1,000 kPa
Max Airflow	1,122 l/min



**PN. 308859 COMET 85-10R FLASHBACK ARRESTOR, OXYGEN**

The COMET 85-10R regulator mounted flashback arrestor is designed for high flow applications. All Cigweld Flashback arrestors conform to AS4603.

SKU:308859

Model	85-10R
Gas Type	Oxygen
Connections	5/8" BSP RH - 5/8"-18 UNF RH
Connection to:	Regulator Outlet
Pressure rating	1,000 kPa
Max Airflow	5,500 l/min



**PN. 308861 COMET 85-10B FLASHBACK ARRESTOR, OXYGEN**

The COMET 85-10B blowpipe mounted flashback arrestor is designed for high flow applications. All Cigweld Flashback arrestors conform to AS4603.

SKU:308861

FBA Model	85-10B
Gas Type	Oxygen
Connections	5/8"-18 UNF RH
Connection to:	Regulator Outlet
Pressure rating	1,000 kPa
Max Airflow	5,500 l/min



### **COMET 85-10P Flashback Arrestor, Fuel**

**SKU: 308830**

The COMET 85-10P pipeline flashback arrestor is designed for high flow applications. All Cigweld Flashback arrestors conform to AS4603. Non-return valve Large cylindrical stainless steel flame arrestor High-flow capacity Supplied with inlet filter Conforms to EN730, ISO 5175 class I, AS4603. Tested by BAM. Non-return valve Large cylindrical stainless steel flame arrestor High-flow capacity Supplied [...](#)



### **COMET 85-10P Flashback Arrestor, Oxygen**

**SKU: 308831**

The COMET 85-10P pipeline flashback arrestor is designed for high flow applications. All Cigweld Flashback arrestors conform to AS4603. Non-return valve Large cylindrical stainless steel flame arrestor High-flow capacity Supplied with inlet filter Conforms to EN730, ISO 5175 class I, AS4603. Tested by BAM. Non-return valve Large cylindrical stainless steel flame arrestor High-flow capacity Supplied [...](#)



**COMET F6Q QUICKCONNECT FLASHBACK ARRESTOR, FUEL**

Quick Connect Flashback Arrestors offer greater flexibility by allowing quick connection or disconnection of equipment that is downstream of the regulator even whilst the system is under pressure. This is achieved by a shut off valve incorporated in the device that prevents the leakage of gas when the equipment is disconnected. All Cigweld Flashback Arrestors meet AS 4603.

SKU:308362

FBA Model	F6Q
Gas Type	Fuel
Connections	5/8"-18 UNF LH
Connection to	Blowpipe Inlet
Pressure rating	500 kPa (150 kPa Acet)



**COMET F6Q QUICKCONNECT FLASHBACK ARRESTOR, OXYGEN**

Quick Connect Flashback Arrestors offer greater flexibility by allowing quick connection or disconnection of equipment that is downstream of the regulator even whilst the system is under pressure. This is achieved by a shut off valve incorporated in the device that prevents the leakage of gas when the equipment is disconnected. All Cigweld Flashback Arrestors meet AS 4603.

SKU:308363

FBA Model	F6Q
Gas Type	Oxygen
Connections	5/8"-18 UNF RH
Connection to	Blowpipe Inlet
Pressure rating	2,000 kPa